



## Balflex® AUTOMOTIVE AIR CONDITIONING VENEER TYPE – 10.1300.

According to **SAE J 2064** and **ISO 8066**

### Air Conditioning hose R134a



- Inner tube:** seamless resistant synthetic rubber with PA barrier
- Reinforcement:** high resistance synthetic fiber braid
- Outer tube:** pin-pricked black, weather and abrasion resistant synthetic rubber
- Application:** air conditioning hose for mobile R12 and R134a systems; PAG, ester and mineral lubricants
- Temperature range:** - 30°C (- 22°F) + 125°C (+ 257°F)

part number	Ø nom.	dash size	Ø internal		Ø external		min. bend radius		weight
			mm	inch	mm	inch	mm	inch	kg/m
10.1300.06	5/16"	- 6	8,0	0.31	19,0	0.75	76,2	3.00	0,30
10.1300.08	13/32"	- 8	10,6	0.42	22,6	0.89	88,9	3.50	0,41
10.1300.10	1/2"	- 10	12,7	0.50	25,4	1.00	101,6	4.00	0,47
10.1300.12	5/8"	- 12	16,2	0.64	28,1	1,11	114,3	4.50	0,55

## Balflex® AUTOMOTIVE AIR CONDITIONING BARRIER TYPE – 10.1350.

According to **SAE J 2064** and **ISO 8066**

### Air Conditioning hose R134a

- Inner tube:** seamless resistant synthetic rubber
- Reinforcement:** high resistance synthetic fiber braid with PA barrier
- Outer tube:** pin-pricked black, weather and abrasion resistant synthetic rubber
- Application:** air conditioning hose for mobile R12 and R134a systems; PAG, ester and mineral lubricants
- Temperature range:** - 30°C (- 22°F) + 125°C (+ 257°F)

part number	Ø nom.	dash size	Ø internal		Ø external		min. bend radius		weight
			mm	inch	mm	inch	mm	inch	kg/m
10.1350.06	5/16"	- 6	8,0	0.31	19,0	0.75	76,2	3.00	0,30
10.1350.08	13/32"	- 8	10,6	0.42	22,6	0.89	88,9	3.50	0,41
10.1350.10	1/2"	- 10	12,7	0.50	25,4	1.00	101,6	4.00	0,47
10.1350.12	5/8"	- 12	16,2	0.64	28,1	1,11	114,3	4.50	0,55

Construction characteristics and dimensions may be changed at any time without prior notice.

The data contained herein is information purposes only and does not enlarge, amend or imply any warranty other than provided by the manufacturer with the product. Any use of the product not in conformance with the manufacturer's instructions may be dangerous.

Only items in this catalogue are carried in stock. Some items are subjected to minimum quantities or sold only in multiples of standard quantities. Please refer to the price list or contact our commercial department.